

Prof. Dr. Hans-Joachim Werner

Publications

1. H.-J. Werner and W. Meyer, *PNO-CI and PNO-CEPA studies of electron correlation effects V: Static dipole polarizabilities of small molecules*, Mol. Phys. **31**, 855 (1976).
2. H.-J. Werner and W. Meyer, *Finite perturbation calculations for the static polarizabilities of the first-row atoms*, Phys. Rev. **A 13**, 13 (1976).
3. K. Schulten, H. Staerk, A. Weller, H.-J. Werner, and B. Nickel, *Magnetic field dependence of the geminate recombination of radical ions pairs in polar solvents*, Z. Phys. Chem. NF **101**, 371 (1976).
4. H.-J. Werner, Z. Schulten, and K. Schulten, *Theory of the magnetic field dependence of the geminate recombination of radical ion pairs in polar solvents: Application to the pyrene-N,N-dimethylaniline system*, J. Chem. Phys. **67**, 646 (1977).
5. H.-J. Werner, H. Staerk, and A. Weller, *Solvent, isotope and magnetic field effects in the geminate recombination of radical ion pairs*, J. Chem. Phys. **68**, 2419 (1978).
6. H.-J. Werner, K. Schulten, and A. Weller, *Electron transfer and spin exchange contributing to the magnetic field dependence of the primary photochemical reaction of bacterial photosynthesis*, Biochim. Biophys. Acta **502**, 255 (1978).
7. H. Schomburg, H. Staerk, A. Weller, and H.-J. Werner, *Temperature dependence of the geminate recombination of radical ion pairs*, Chem. Phys. Lett. **56**, 399 (1978).
8. H.-J. Werner and W. Meyer, *A quadratically convergent multiconfiguration self consistent field method with simultaneous optimization of orbitals and CI coefficients*, J. Chem. Phys. **73**, 2342 (1980).
9. H.-J. Werner and P. Rosmus, *Theoretical dipole moment functions for the HF, HCl and HBr molecules*, J. Chem. Phys. **73**, 2319 (1980).
10. W. Meyer, P. Botschwina, P. Rosmus, and H.-J. Werner, *Computed physical properties of small molecules*, Computational Methods in Chemistry, edited by J. Bargon, Plenum Publishing Corporation, 1980.
11. P. Rosmus and H.-J. Werner, *Einstein transition probability coefficients in the electronic ground states of the diatomic hydrides*, J. Mol. Structure **60**, 405 (1980).

12. H.-J. Werner, E.-A. Reinsch, and P. Rosmus, *Ab initio calculation of the dipole moment function of hydrogen iodide*, Chem. Phys. Lett. **78**, 311 (1981).
13. H.-J. Werner and W. Meyer, *A quadratically convergent MCSCF method for the simultaneous optimization of several states*, J. Chem. Phys. **74**, 5794 (1981).
14. H.-J. Werner and W. Meyer, *MCSCF study of the avoided curve crossing of the two lowest $^1\Sigma^+$ states of LiF*, J. Chem. Phys. **74**, 5802 (1981).
15. H.-J. Werner, *MCSCF calculation of the dipole moment function of CO*, Mol. Phys. **44**, 111 (1981).
16. H.-J. Werner and W. Meyer, *A quadratically convergent MCSCF method and the calculation of second order properties from MCSCF wave functions*, Proceedings of the study weekend on electron correlation in Sussex, England, April 1981.
17. H.-J. Werner and E.-A. Reinsch, *An iterative CI method with configurations generated from several reference determinants*, Proceedings of the fifth seminar on computational methods in quantum chemistry, Groningen, Holland, 1981.
18. R. Klein, P. Rosmus, and H.-J. Werner, *Ab initio calculations of low lying states of the BH^+ and AlH^+ ions*, J. Chem. Phys. **77**, 3559 (1982).
19. H.-J. Werner and E.-A. Reinsch, *The self consistent electron pairs method for multiconfiguration reference state functions*, J. Chem. Phys. **76**, 3144 (1982).
20. P. Rosmus and H.-J. Werner, *Ab initio calculations of radiative transition probabilities in the $X\ ^2\Sigma^+$ and $A\ ^2\Pi$ electronic states of CO^+* , Mol. Phys. **47**, 661 (1982).
21. P. Rosmus, H.-J. Werner, and M. Grimm, *Ab initio calculations of infrared transition rates in the ground states of BF and BF^+* , Chem. Phys. Lett. **92**, 250 (1982).
22. H.-J. Werner, P. Rosmus, and M. Grimm, *Ab initio calculations of radiative transition probabilities in the $X\ ^1\Sigma^+$ state of SiO and the $X\ ^2\Sigma^+$ and $A\ ^2\Pi$ states of SiO^+* , Chem. Phys. **73**, 169 (1982).
23. H.-J. Werner and P. Rosmus, *Ab initio calculations of radiative transition probabilities in the $^1\Sigma^+$ ground state of the NO^+ ion*, J. Mol. Spectr. **96**, 362 (1982).
24. P. Rosmus, E.-A. Reinsch, and H.-J. Werner, *Calculations of the electric dipole transition probabilities in the electronic ground states of the NeH^+ , ArH^+ and KrH^+ ions*, Proceedings of the NATO advanced study institute on molecular ions, Kos, Griechenland, 1983.

25. H.-J. Werner, P. Rosmus, and E.-A. Reinsch, *Molecular properties from MCSCF-SCEP wave functions. I. Accurate dipole moment functions of OH, OH⁻ and OH⁺*, J. Chem. Phys. **79**, 905 (1983).
26. K. Kaufmann, M. Jungen, and H.-J. Werner, *Quartet states of H₃*, J. Phys. Chem. **87**, 3806 (1983).
27. H.-J. Werner, *Molecular properties from MCSCF-SCEP wave functions. II. Calculation of electronic transition moments*, J. Chem. Phys. **80**, 5080 (1984).
28. H.-J. Werner and E.-A. Reinsch, *Internally contracted MCSCF-SCEP calculations*, in "Advanced Theories and Computational Approaches to the Electronic Structure of Molecules", p. 79-105, edited by C. E. Dykstra (D. Reidel, 1984).
29. P. Rosmus and H.-J. Werner, *Multireference-CI calculations of radiative transition probabilities in C₂⁻*, J. Chem. Phys. **80**, 5085 (1984).
30. H.-J. Werner, P. Rosmus, W. Schaetzl, and W. Meyer, *PNO-CEPA and MCSCF-SCEP calculations of transition probabilities in OH, HF⁺ and HCl⁺*, J. Chem. Phys. **80**, 831 (1984).
31. H.-J. Werner, J. Kalcher, and E.-A. Reinsch, *Accurate ab initio calculations of radiative transition probabilities between the A ³Σ_u⁺, B ³Π_g, W ³D_u, B ³Σ_u⁻ and C ³Π_u states of N₂*, J. Chem. Phys. **81**, 2420 (1984).
32. J. Senekowitsch, P. Rosmus, W. Domcke, and H.-J. Werner, *An accurate potential energy function of the H₂⁻ ion at large internuclear distances*, Chem. Phys. Lett. **111**, 211 (1984).
33. N. C. Handy, R. H. Nobes, and H.-J. Werner, *The ethylene radical cation: Twisted or planar?*, Chem. Phys. Lett. **110**, 459 (1984).
34. D. C. Clary and H.-J. Werner, *Quantum calculations on the rate constant for the OH + O reaction*, Chem. Phys. Lett. **112**, 346 (1984).
35. H.-J. Werner and P. J. Knowles, *A second order multiconfiguration SCF procedure with optimum convergence*, J. Chem. Phys. **82**, 5053 (1985).
36. P. J. Knowles and H.-J. Werner, *An efficient second-order MCSCF method for long configuration expansions*, Chem. Phys. Lett. **115**, 259 (1985).
37. J. Senekowitsch, H.-J. Werner, P. Rosmus, E.-A. Reinsch, and S. V. O'Neil, *Ab initio calculations of radiative transition probabilities in SH, SH⁺ and SH⁻*, J. Chem. Phys. **83**, 4661 (1985).
38. H.-J. Werner and R. L. Martin, *Unlinked cluster and relativistic contributions to the bonding in Cu₂*, Chem. Phys. Lett. **113**, 451 (1985).

39. H.-J. Werner and P. Rosmus, *Ab initio calculations of radiative transition probabilities in diatomic molecules*, in "Comparisons of Ab Initio Quantum Chemistry with Experiment for small molecules; The State of the Art", p. 267-337, edited by R. J. Bartlett, (D. Reidel, 1985).
40. A. J. Banks, D. C. Clary, and H.-J. Werner, *Vibrational relaxation of N₂ by collision with He atoms*, J. Chem. Phys. **84**, 3788 (1986).
41. H.-J. Werner and A. D. Buckingham, *An accurate ab initio calculation of the dipole moment function of GeH*, Chem. Phys. Lett. **125**, 433 (1986).
42. U. Mänz, A. Zilch, P. Rosmus, and H.-J. Werner, *MCSCF-CI calculations of infrared transition probabilities in the CH⁻ and NH⁻ ions*, J. Chem. Phys. **84**, 5037 (1986).
43. S. R. Langhoff, H.-J. Werner, and P. Rosmus, *Theoretical transition probabilities for the OH Meinel system*, J. Mol. Spectr. **118**, 507 (1986).
44. P. Botschwina, A. Zilch, P. Rosmus, H.-J. Werner, and E.-A. Reinsch, *An ab initio calculation of the near-equilibrium potential energy surface and vibrational frequencies of H₂Br⁺ and its isotopomers*, J. Chem. Phys. **84**, 1683 (1986).
45. J. Senekowitsch, P. Rosmus, H.-J. Werner, and M. Larsson, *MCSCF-CI calculations of radiative transition probabilities of PH and PD*, Z. Naturforsch. **41a**, 719 (1986).
46. P. Botschwina, A. Zilch, H.-J. Werner, P. Rosmus, and E.-A. Reinsch, *Ab initio calculation of the potential energy surfaces and spectroscopic properties of H₂S and H₃S⁺*, J. Chem. Phys. **85**, 5107 (1986).
47. S. V. O'Neil, P. Rosmus, D. W. Norcross, and H.-J. Werner, *Bound electronic states of HCl⁻*, J. Chem. Phys. **85**, 7232 (1986).
48. P. Rosmus and H.-J. Werner, *Electric dipole and transition moment functions in molecular spectroscopy*, in "Geometric Derivatives of Energy Surfaces and Molecular Properties", P. Jørgensen and J. Simons (eds.), 265-278 (D. Reidel, 1986).
49. P. Rosmus, H.-J. Werner, E.-A. Reinsch, and M. Larsson, *Multireference CI calculations of radiative transition probabilities between low lying quartet states of the C₂⁺ ion*, J. Electr. Spectr. **41**, 289 (1986).
50. H.-J. Werner, *Matrix formulated MCSCF and MCSCF-CI methods*, in: *Ab Initio Methods in Quantum Chemistry II*, Advances in Chemical Phys. Vol. LXIX, 1, (1987).
51. V. Vaida, M. McCarthy, P. C. Engelking, P. Rosmus, H.-J. Werner, and P. Botschwina, *The ultraviolet absorption spectrum of jet cooled ammonia*, J. Chem. Phys. **86**, 6669 (1987).

52. P. Rosmus, H.-J. Werner, P. Botschwina, M. McCarthy, and V. Vaida, *Theoretical $A^1A_2'' - X^1A'$ absorption and emission spectra of ammonia*, J. Chem. Phys. **86**, 6677 (1987).
53. M. McCarthy, P. Rosmus, H.-J. Werner, P. Botschwina, and V. Vaida, *Dissociation of NH_3 to $NH_2 + H$* , J. Chem. Phys. **86**, 6693 (1987).
54. S. V. O'Neil, P. Rosmus, and H.-J. Werner, *The radiative lifetime of C_2 ($A^1\Pi_u$)*, J. Chem. Phys. **87**, 2847 (1987).
55. H.-J. Werner, U. Mänz, and P. Rosmus, *The structure and stability of the H_2O^- ion*, J. Chem. Phys. **87**, 2913 (1987).
56. B. Follmeg, P. Rosmus, and H.-J. Werner, *Vibration-rotation transition probabilities in CH^+* , Chem. Phys. Lett. **136**, 562 (1987).
57. J. Senekowitsch, S. Carter, H.-J. Werner, and P. Rosmus, *Vibrational radiative lifetimes in H_2Se and HCS^-* , Chem. Phys. Lett. **140**, 375 (1987).
58. J. Senekowitsch, A. Zilch, S. Carter, H.-J. Werner, P. Rosmus, and P. Botschwina, *Theoretical calculations of the vibrational transition probabilities in hydrogen selenide*, Chem. Phys. **122**, 375 (1988).
59. J. Senekowitsch, S. Carter, H.-J. Werner, and P. Rosmus, *Ab initio calculations of the vibrational spectrum of HCS^-* , J. Chem. Phys. **88**, 2641 (1988).
60. H.-J. Werner, B. Follmeg, and M. H. Alexander, *Adiabatic and diabatic potential energy surfaces for collisions of CN ($X^2\Sigma^+$, $A^2\Pi$) with He* , J. Chem. Phys. **89**, 3139 (1988).
61. H.-J. Werner and P. J. Knowles, *An internally contracted multiconfiguration reference configuration interaction method*, J. Chem. Phys. **89**, 5803 (1988).
62. P. J. Knowles and H.-J. Werner, *An efficient method for the evaluation of coupling coefficients in configuration interaction calculations*, Chem. Phys. Lett. **145**, 514 (1988).
63. P. J. Knowles, P. Rosmus, and H.-J. Werner, *On the assignment of the electronically excited singlet states of CO_2* , Chem. Phys. Lett. **146**, 230 (1988).
64. M. H. Alexander, H.-J. Werner, and P. J. Dagdigian, *Energetics and spin and Λ doublet selectivity in the infrared photodissociation of HN_3 (X^1A') $\rightarrow N_2$ ($X\Sigma_g^+$) + NH ($X^3\Sigma^-, a^1\Delta$)*, J. Chem. Phys. **89**, 1388 (1988).
65. S. Miller, J. Tennyson, B. Follmeg, P. Rosmus, and H.-J. Werner, *Ab initio investigation of the bound rovibrational states in the electronic ground state of HeN_2^+* , J. Chem. Phys. **89**, 2178 (1988).
66. U. Mänz, P. Rosmus, H.-J. Werner, and P. Botschwina, *The first excited triplet state of ammonia*, Chem. Phys. **122**, 387 (1988).

67. P. J. Knowles, H.-J. Werner, P. J. Hay, and D. C. Cartwright, *The $A^2\Pi - X^2\Sigma^+$ red and $B^2\Sigma^+ - X^2\Sigma^+$ violet systems of the CN radical: Accurate multireference CI calculations of the radiative transition probabilities*, J. Chem. Phys. **89**, 7334 (1988).
68. N. Furio, A. Ali, P. Dagdigian, and H.-J. Werner, *Laser excitation of the overlapping CN B-A(8,7) and B-X(8,11) bands: The relative phase and magnitude of the B-A and B-X electronic transition moments*, J. Mol. Spectr. **134**, 199 (1989).
69. J. Senekowitsch, S. Carter, A. Zilch, H.-J. Werner, N. C. Handy, and P. Rosmus, *Theoretical rotational-vibrational spectrum of H_2S* , J. Chem. Phys. **90**, 783 (1989).
70. B. Weis, S. Carter, P. Rosmus, H.-J. Werner, and P. J. Knowles, *A theoretical rotationally resolved infrared spectrum for H_2O^+ (X^2B_1)*, J. Chem. Phys. **91**, 2818 (1989).
71. H.-J. Werner, B. Follmeg, M. H. Alexander, and D. Lemoine, *Quantum scattering studies of electronically inelastic collisions of CN ($X^2\Sigma^+$, $A^2\Pi$) with He*, J. Chem. Phys. **91**, 5425 (1989).
72. S. V. O’Neil, D. J. Desbitt, P. Rosmus, H.-J. Werner, and D. C. Clary, *Weakly bound NeHF*, J. Chem. Phys. **91**, 711 (1989).
73. J. Senekowitsch, S. V. O’Neil, H.-J. Werner, and P. J. Knowles, *Low lying electronic states of PH^{2+}* , Chem. Phys. Lett. **175**, 548 (1990).
74. J. Senekowitsch, S. V. O’Neil, H.-J. Werner, and P. J. Knowles, *Ab initio calculation of the $X^2\Sigma^+$ and $A^2\Pi$ states of CF^{++}* , J. Chem. Phys. **93**, 562 (1990).
75. K. A. Peterson, R. C. Woods, P. Rosmus, and H.-J. Werner, *Spectroscopic properties of the $X^3\Sigma^+$ and $a^3\Pi$ electronic states of CF^+ , SiF^+ and CCl^+ by multiconfiguration configuration interaction*, J. Chem. Phys. **93**, 1889 (1990).
76. M. H. Alexander, H.-J. Werner, T. Hemmer, and P. J. Knowles, *Ab initio study of the energetics of the spin-allowed and spin-forbidden decomposition of HN_3* , J. Chem. Phys. **93**, 3307 (1990).
77. A. Degli Esposti and H.-J. Werner, *Ab initio calculation of the OH ($X^2\Pi$, $A^2\Sigma^+$) + Ar potential energy surfaces and quantum scattering studies of rotational energy transfer in the OH ($A^2\Sigma^+$) state*, J. Chem. Phys. **93**, 3351 (1990).
78. C. Chakravarty, D. C. Clary, A. Degli Esposti, and H.-J. Werner, *Calculation of the electronic spectrum for Ar-OH*, J. Chem. Phys. **93**, 3367 (1990).

79. B. Follmeg, P. Rosmus, and H.-J. Werner, *Theoretical investigation of collision induced rotational alignment in $N_2^+ - He$* , J. Chem. Phys. **93**, 4687 (1990).
80. J. Senekowitsch, S. Carter, P. Rosmus, and H.-J. Werner, *Potential energy and dipole moment functions of the HCS radical*, Chem. Phys. **147**, 281 (1990).
81. H. J. Blöcker, E. A. Reinsch, P. Rosmus, H.-J. Werner, and P. J. Knowles, *Theoretical radiative transition probabilities of the CS^+ ion*, Chem. Phys. **147**, 99 (1990).
82. H.-J. Werner, A. Spielfiedel, N. Feautrier, G. Chambaud, and P. Rosmus, *On the Rathenau bands in the absorption spectrum of CO_2* , Chem. Phys. Lett. **175**, 203 (1990).
83. M. H. Alexander, A. Berning, A. Degli Esposti, A. Jörg, A. Kliesch, and H.-J. Werner, *Theoretical studies of collision-induced energy transfer in electronically excited states*, Ber. Bunsenges. Phys. Chemie **94**, 1253 (1990).
84. H.-J. Werner and P. J. Knowles, *A comparison of variational and non-variational internally contracted multiconfiguration-reference configuration interaction calculations*, Theor. Chim. Acta **78**, 175 (1990).
85. P. J. Miller, S. A. Rogers, J. Senekowitsch, S. V. O'Neil, S. R. Leone, H.-J. Werner, and P. J. Knowles, *Multireference-configuration interaction (MR-CI) calculations on HS^{2+} and experimental observation via electron impact ionisation of H_2S* , Int. J. Mass Spectr. and Ion Proc. **100**, 505 (1990).
86. I. Fischer, V. E. Bondybey, P. Rosmus, and H.-J. Werner, *Theoretical study of the electronic states of $BeLi$ and Be_2^+* , Chem. Phys. **151**, 295 (1991).
87. T. Busch, A. Degli Esposti, and H.-J. Werner, *Analytical energy gradients for MCSCF wave functions with frozen core orbitals*, J. Chem. Phys. **94**, 6708 (1991).
88. A. Jörg, A. Degli Esposti, and H.-J. Werner, *Quantum scattering study of rotational energy transfer in $OH (A^2\Sigma^+, v'=0) + He$* , J. Chem. Phys. **93**, 8757 (1991).
89. H.-J. Werner and P. J. Knowles, *Accurate multireference CI calculation of the potential energy function and the dissociation energy of N_2* , J. Chem. Phys. **94**, 1264 (1991).
90. B. Follmeg, P. Rosmus, and H.-J. Werner, *On the rotational angular momentum polarization in $N_2^+ - He$. Classical trajectory and hard ellipsoid model calculations*, J. Chem. Phys. **95**, 979 (1991).

91. A. Spielfiedel, N. Feautrier, G. Chambaud, P. Rosmus, and H.-J. Werner, *Interactions of Rydberg and valence states in CO₂*, Chem. Phys. Lett. **183**, 16 (1991).
92. J. Senekowitsch, S. V. O’Neil, H.-J. Werner, and P. J. Knowles, *Ab initio characterization of NF²⁺*, J. Phys. B: At. Mol. Opt. Phys. **24**, 1529 (1991).
93. J. Senekowitsch, S. V. O’Neil, P. J. Knowles, and H.-J. Werner, *The ³Π_g ← ³Σ_u⁺ transition in N₂⁺*, J. Phys. Chem. **95**, 2125 (1991).
94. T. Schmelz, G. Chambaud, P. Rosmus, H. Köppel, L. Cederbaum, and H.-J. Werner, *Electronic states of the O₃⁺ radical cation*, Chem. Phys. Lett. **183**, 209 (1991).
95. M. Brommer, G. Chambaud, E. A. Reinsch, P. Rosmus, A. Spielfiedel, N. Feautrier, and H.-J. Werner, *Theoretical potential energy function and rovibronic spectrum of CO₂⁺(X²Π_g)*, J. Chem. Phys. **94** 8070 (1991).
96. U. Mänz, E. A. Reinsch, P. Rosmus, H.-J. Werner, and S. V. O’Neil, *Dissociation of NH₃ to NH + H₂*, J. Chem. Soc. Faraday Trans. **87**, 1809 (1991).
97. Th. Glenewinkel-Meyer, Ch. Ottinger, P. Rosmus, and H.-J. Werner, *MRCI potential energy functions for the charge transfer reactions H⁺ + HCl(X²Π_i) → H + HCl⁺ (X²Π_i, A²Σ⁺)*, Chem. Phys. **152**, 409 (1991).
98. Th. Glenewinkel-Meyer, A. Kowalski, B. Müller, Ch. Ottinger, D. Rabenda, P. Rosmus, and H.-J. Werner, *Spectroscopic and dynamical studies of chemiluminescent ion-molecule reactions*, Proceedings of ICPEAC XVII, p. 459 (1991).
99. Th. Glenewinkel-Meyer, B. Müller, Ch. Ottinger, P. Rosmus, P. J. Knowles, and H.-J. Werner, *Ab initio calculations on the four lowest electronic states of AlF⁺ and AlCl⁺*, J. Chem. Phys. **95**, 5133 (1991).
100. P. J. Knowles, K. Stark, and H.-J. Werner, *A full CI study of the energetics of the reaction F + H₂ → HF + H*, Chem. Phys. Lett. **185**, 555 (1991).
101. M. H. Alexander and H.-J. Werner, *Rotationally inelastic collisions of Li₂(A¹Σ_u⁺) + Ne: Fully ab initio cross sections and comparison with experiment*, J. Chem. Phys. **95**, 6524 (1991).
102. C. Chakravarty, D. C. Clary, A. Degli Esposti, and H.-J. Werner, *Calculations of vibrational predissociation of Ar-OH(A²Σ⁺)*, J. Chem. Phys. **95**, 8149 (1991).
103. M. H. Alexander, P. J. Dagdigian, and H.-J. Werner, *Potential energy surface control of the NH product state distribution in the decomposition reaction HN₃ (X¹A′) → NH (a¹Δ) + N₂(X¹Σ_g⁺)*, Faraday Discuss. Chem. Soc. **91**, 319 (1991).

104. C. Hampel, K. A. Peterson, and H.-J. Werner, *A comparison of the accuracy and efficiency of the quadratic configuration interaction (QCISD), coupled cluster (CCSD), and Brueckner coupled-cluster (BCCD) methods*, Chem. Phys. Letters **190**, 1 (1992).
105. P. J. Knowles and H.-J. Werner, *Internally contracted multiconfiguration-reference configuration interaction calculations for excited states*, Theor. Chim. Acta **84**, 95 (1992).
106. K. A. Peterson and H.-J. Werner, *Multireference configuration interaction calculations of the low-lying electronic states of ClO₂*, J. Chem. Phys. **96**, 8948 (1992).
107. A. Spielfiedel, N. Feautrier, C. Cossart-Magos, G. Chambaud, P. Rosmus, H.-J. Werner, and P. Botschwina, *Bent valence excited states of CO₂*, J. Chem. Phys. **97**, 8382 (1992).
108. D. Sölter, H.-J. Werner, M. von Dirke, A. Untch, A. Vegiri, and R. Schinke, *The photodissociation of ClNO through excitation in the T₁ state: An ab initio study*, J. Chem. Phys. **97**, 3357 (1992).
109. M. Brommer, B. Weis, B. Follmeg, P. Rosmus, S. Carter, N. C. Handy, H.-J. Werner, and P. J. Knowles, *Theoretical spin-rovibronic ²A₁(Π_u) – ²B₁ spectrum of the H₂O⁺, HDO⁺, and D₂O⁺ cations*, J. Chem. Phys. **98**, 5222 (1993).
110. P. J. Dagdigian, D. P. Patel-Misra, A. Berning, H.-J. Werner, and M. H. Alexander, *A joint experimental and theoretical study of A²Π → X²Σ⁺ electronic energy transfer in the CN molecule induced by collisions with helium*, J. Chem. Phys. **98**, 8580 (1993).
111. K. A. Peterson and H.-J. Werner, *A multireference configuration interaction study of the low-lying electronic states of ClO₂⁺ and the X¹A₁ state of ClO₂⁻*, J. Chem. Phys. **99**, 302 (1993).
112. P. J. Knowles, C. Hampel, and H.-J. Werner, *Coupled-cluster theory for highspin open-shell reference wave functions*, J. Chem. Phys. **99**, 5219 (1993).
113. D. E. Manolopoulos, K. Stark, H.-J. Werner, D. W. Arnold, and D. M. Neumark, *The transition state of the F + H₂ reaction*, Science **262**, 1852 (1993).
114. A. Spielfiedel, N. Feautrier, G. Chambaud, P. Rosmus, and H.-J. Werner, *On the first dipole allowed electronic transition 1¹Σ_u⁺ – X¹Σ_g⁺ of CO₂*, Chem. Phys. Lett. **216**, 172 (1993).
115. A. Berning and H.-J. Werner, *Quantum scattering studies of electronically inelastic collisions of N₂⁺(X²Σ_g⁺, A²Π_u) with He*, J. Chem. Phys. **100**, 1953 (1994).

116. C. Woywod, W. Domcke, A. L. Sobolewski, and H.-J. Werner, *Characterization of the $S_1 - S_2$ conical intersection in pyrazine using ab initio multi-configuration self-consistent-field and multireference configuration-interaction methods*, J. Phys. Chem. **100**, 1400 (1994).
117. M. Baer, H. J. Loesch, H.-J. Werner, and I. Last, *Integral and differential cross sections for the $Li + HF \rightarrow LiF + H$ process. A comparison between j_z -quantum mechanical and experimental results*, Chem. Phys. Lett. **219**, 372 (1994).
118. F. J. Aoiz, L. Bañares, V. J. Herrero, V. Sáez Rábanos, K. Stark, and H.-J. Werner, *Classical dynamics of the $F + H_2 \rightarrow HF + H$ reaction on a new ab initio potential energy surface. A direct comparison with experiment*, Chem. Phys. Lett. **223**, 215 (1994).
119. F. J. Aoiz, L. Bañares, V. J. Herrero, V. Sáez Rábanos, K. Stark, and H.-J. Werner, *Quasi-classical trajectory study of the $F + D_2 \rightarrow DF + H$ reaction on a new ab initio potential energy surface. Comparison with molecular beam experimental results*, J. Phys. Chem. **98**, 10665 (1994).
120. S. M. Miller, D. C. Clary, A. Kliesch, and H.-J. Werner, *Rotationally inelastic and bound state dynamics of $H_2-OH(X^2\Pi)$* , Mol. Phys. **83**, 405, (1994).
121. A. Loettgers, A. Untch, M. Stumpf, R. Schinke, H.-J. Werner, C. Bauer, and P. Rosmus, *The Renner-Teller induced predissociation of $HCO(\tilde{A}^2A'')$. Wave packet calculations using new ab initio potential energy surfaces*, Chem. Phys. Lett. **230**, 290-298 (1994).
122. H.-J. Werner, C. Bauer, P. Rosmus, H.-M. Keller, M. Stumpf, and R. Schinke, *The unimolecular dissociation of HCO : I. Oscillations of pure CO stretching resonance widths*, J. Chem. Phys. **102**, 3593 (1995).
123. M. Yang, M. H. Alexander, H.-J. Werner, J. Hohmann, L. Neitsch, F. Stuhl, and P. Dagdigian, *The rotational relaxation of $NH(c^1\Pi)$ in collisions with Ar: A combined theoretical and experimental investigation*, J. Chem. Phys. **102**, 4069 (1995).
124. F. J. Aoiz, L. Bañares, V. J. Herrero, V. Sáez Rábanos, K. Stark, and H.-J. Werner, *The $F + HD \rightarrow DF(HF) + H(D)$ reaction revisited: Quasiclassical trajectory study on an ab initio potential energy surface and comparison with molecular beam experiments*, J. Chem. Phys. **102**, 9248 (1995).
125. A. Degli Esposti, A. Berning, and H.-J. Werner, *Quantum scattering studies of the Λ doublet resolved rotational energy transfer of $OH(X^2\Pi)$ in collisions with He and Ar*, J. Chem. Phys. **103**, 2067 (1995).
126. M. Stumpf, A. J. Dobbyn, D. H. Mordaunt, H.-M. Keller, H. Fluethmann, R. Schinke, H.-J. Werner, and K. Yamashita, *Unimolecular dissociation*

- of *HCO*, *HNO*, and *HO₂*: From regular to irregular dynamics, Faraday Discuss. **102**, 193 (1995).
127. M. Baer, M. Faubel, B. Martínez-Haya, L. Y. Rusin, U. Tappe, J. P. Toennies, K. Stark, and H.-J. Werner, *Integral and differential state-to-state cross-sections for the reactions $F + D_2(v_i = 0, j_i) \rightarrow DF(v_f, j_f) + D$: A comparison between three-dimensional quantum mechanical and experimental results*, J. Chem. Phys. **104**, 2743 (1995).
 128. C. Hampel and H.-J. Werner, *Local treatment of electron correlation in coupled-cluster (CCSD) theory*, J. Chem. Phys. **104**, 6286 (1996).
 129. K. Stark and H.-J. Werner, *An accurate multireference configuration interaction (MRCI) calculation of the potential energy surface for the $F + H_2 \rightarrow HF + H$ reaction*, J. Chem. Phys. **104**, 6515 (1996).
 130. J. F. Castillo, D. E. Manolopoulos, K. Stark, and H.-J. Werner, *Quantum mechanical angular distributions for the $F + H_2$ reaction*, J. Chem. Phys. **104**, 6531 (1996).
 131. H.-J. Werner, *Third-order multiconfiguration reference perturbation theory: The CASPT3 method*, Mol. Phys. **89**, 645 (1996).
 132. M. Alagia, N. Balucani, P. Casavecchia, D. Stranges, G. G. Volpi, D. C. Clary, A. Kliesch, and H.-J. Werner, *The dynamics of the reaction $OH + D_2 \rightarrow HOD + D$: Crossed beam experiments and quantum mechanical scattering calculations on ab initio potential energy surfaces*, Chem. Phys. **207**, 389 (1996).
 133. H. Stoll and H.-J. Werner, *The Cr_2 potential curve – a multi-reference pair-functional treatment*, Mol. Phys. **88**, 793 (1996).
 134. H.-M. Keller, H. Floethmann, A. J. Dobbyn, R. Schinke, H.-J. Werner, C. Bauer, and P. Rosmus, *The unimolecular dissociation of HCO II. Comparison of calculated resonance energies with high-resolution spectroscopic data*, J. Chem. Phys. **105**, 4983 (1996).
 135. F. J. Aoiz, L. Bañares, V. J. Herrero, K. Stark, and H.-J. Werner, *Reaction cross sections and rate constants for the $F + H_2(D_2) \rightarrow HF(DF)+H(D)$ reaction from quasiclassical trajectory calculations on a potential energy surface*, Chem. Phys. Lett. **254**, 341 (1996).
 136. F. J. Aoiz, L. Bañares, V. J. Herrero, V. S. Rábanos, K. Stark, I. Tanarro, and H.-J. Werner, *The $F + HD$ reaction: Cross sections and rate constants on an ab initio potential energy surface*, Chem. Phys. Lett. **262**, 175 (1996).
 137. S. Green, H.-M. Keller, R. Schinke, and H.-J. Werner, *Vibration-rotation excitation of CO by hot hydrogen atoms: Comparison of two potential energy surfaces*, J. Chem. Phys. **105**, 5416 (1996).

138. K. A. Peterson and H.-J. Werner, *The photodissociation of ClO₂: Potential energy surfaces of OClO → Cl + O₂*, J. Chem. Phys. **105**, 9823 (1996).
139. M. Yang, M. H. Alexander, H.-J. Werner, and R. Bemish, *Ab initio and scaled potential energy surfaces for Ar-C₂H₄: Comparison with scattering and spectroscopic experiments*, J. Chem. Phys. **105**, 10452 (1996).
140. H.-M. Keller, M. Stumpf, T. Schröder, C. Stöck, F. Temps, R. Schinke, H.-J. Werner, C. Bauer, and P. Rosmus, *Unimolecular dissociation dynamics of highly vibrational excited DCO (\tilde{X}^2A'): II. Calculation of resonance energies and widths and comparison with high-resolution spectroscopic data*, J. Chem. Phys. **106**, 5359 (1997).
141. A. Loettgers, A. Untch, H.-M. Keller, R. Schinke, H.-J. Werner, C. Bauer, and P. Rosmus, *Ab initio study of the photodissociation of HCO in the first absorption band: 3D wave packet calculations including the $\tilde{X}^2A' - \tilde{A}^2A''$ Renner-Teller coupling*, J. Chem. Phys. **106**, 3186 (1997).
142. F. J. Aoiz, L. Bañares, B. Martínez-Haya, J. Castillo, D. E. Manolopoulos, K. Stark, and H.-J. Werner, *Ab initio simulations of molecular beam experiments for the $F + H_2 \rightarrow HF + H$ reaction*, J. Phys. Chem. A **101**, 6403 (1997).
143. F. Eckert, P. Pulay, and H.-J. Werner, *Ab initio geometry optimization for large molecules*, J. Comp. Chemistry **18**, 1473 (1997).
144. T. Schmelz, P. Rosmus, A. Berning, and H.-J. Werner, *Bound rovibronic levels of the HeN₂⁺ ($A^2\Pi$) complex*, Spectrochimica Acta Part A, **53**, 1133 (1997).
145. T. Leininger, A. Nicklass, H. Stoll, H.-J. Werner, A. Berning, and H.-J. Flad, *Spin-orbit interaction in heavy group 13 atoms and TlAr*, Chem. Phys. **217**, 19 (1997).
146. T. Leininger, H. Stoll, H.-J. Werner, and A. Savin, *Combining long-range configuration interaction with short-range density functionals*, Chem. Phys. Lett. **275**, 151 (1997).
147. B. Hartke and H.-J. Werner, *Time-dependent quantum simulations of FH₂⁻ photoelectron spectra on new ab initio potential energy surfaces for the anionic and the neutral species*, Chem Phys. Lett. **280**, 430 (1997).
148. G. Rauhut, P. Pulay, and H.-J. Werner, *An integral transformation with low-order scaling for large local second-order Møller-Plesset calculations*, J. Comp. Chem. **19**, 1241 (1998).
149. A. El Azhary, G. Rauhut, P. Pulay, and H.-J. Werner, *Analytical energy gradients for local second-order Møller-Plesset perturbation theory*, J. Chem. Phys. **108**, 5185 (1998).

150. M. Schütz, G. Rauhut, and H.-J. Werner, *Local treatment of electron correlation in molecular clusters: Structures and stabilities of $(H_2O)_n$, $n = 2 - 4$* , J. Phys. Chem. **A** **102**, 5997 (1998).
151. G. Hetzer, P. Pulay, and H.-J. Werner, *Multipole approximation of distant pair energies in local MP2 calculations*, Chem. Phys. Lett. **290**, 143 (1998).
152. A. A. Bagaturyants, A. A. Safonov, H. Stoll, and H.-J. Werner, *Ab initio relativistic pseudopotential study of small silver and gold sulfide clusters $(M_2S)_n$, $n=1,2$* , J. Chem. Phys. **109**, 3096 (1998).
153. J. F. Castillo, B. Hartke, H.-J. Werner, F. J. Aoiz, L. Bañares, and B. Martínez-Haya, *Quantum mechanical and quasi-classical simulations of molecular beam experiments for the $F+H_2 \rightarrow HF+H$ reaction on two ab initio potential energy surfaces*, J. Chem. Phys. **109**, 7224 (1998).
154. M. H. Alexander, H.-J. Werner, and D. E. Manolopoulos, *Spin-orbit effects in the reaction of $F(^2P)$ with H_2* , J. Chem. Phys. **109**, 5710 (1998).
155. W. Humphrey, H. Lui, I. Logunov, H.-J. Werner, and K. Schulten, *Three electronic state model of the primary phototransformation of bacteriorhodopsin*, Biophys. J. **75**, 1689 (1998).
156. B. Hartke, M. Schütz, and H.-J. Werner, *Improved intermolecular water potential from global geometry optimization of small water clusters using local MP2*, Chem. Phys. **239**, 561 (1998).
157. F. Eckert and H.-J. Werner, *Reaction path following by quadratic steepest decent*, Theor. Chem. Acc. **100**, 21 (1998).
158. G. Rauhut, A. El Azhary, F. Eckert, U. Schumann, and H.-J. Werner, *Impact of local approximations on MP2 vibrational frequencies*, Spectrochimica Acta **55**, 647 (1999); Special Issue: *Theoretical Spectroscopy: State of the Science*.
159. M. Schütz, R. Lindh, and H.-J. Werner, *Integral-direct electron correlation methods*, Mol. Phys. **96**, 719 (1999)
160. N. Runeberg, M. Schütz, and H.-J. Werner, *The aurophilic attraction as interpreted by local correlation methods*, J. Chem. Phys. **110**, 7210 (1999).
161. F. Eckert and H.-J. Werner, *Local interpolation of ab initio potential energy surfaces for direct dynamics studies of chemical reactions*, Chem. Phys. Lett. **302**, 208 (1999).
162. D. Simah, B. Hartke, and H.-J. Werner, *Photodissociation dynamics of H_2S on new coupled ab initio potential energy surfaces*, J. Chem. Phys. **111**, 4523 (1999).

163. M. Schütz, G. Hetzer, and H.-J. Werner, *Low-order scaling local electron correlation methods. I. Linear scaling local MP2*, J. Chem. Phys. **111**, 5691 (1999).
164. M. Hochlaf, G. Chambaud, P. Rosmus, T. Andersen, and H.-J. Werner, *The quartet and sextet states of CS^-* , J. Chem. Phys. **110**, 11835 (1999).
165. U. Manthe, W. Bian, and H.-J. Werner, *Quantum mechanical calculation of the thermal rate constant for the $H_2 + Cl \rightarrow H + HCl$ reaction*, Chem. Phys. Lett. **313**, 647 (1999).
166. D. Skouteris, D. E. Manolopoulos, W. Bian, H.-J. Werner, L.-H. Lai, and K. Liu, *The entrance valley of the $Cl+HD$ reaction*, Science **286**, 1713 (1999).
167. H.-J. Werner, *Perspective on "Theory of self-consistent electron pairs. An iterative method for correlated many-electron wave functions" by Wilfried Meyer [J. Chem. Phys. **64**, 2901 (1976)]*, Theor. Chem. Acc. **103**, 322 (2000).
168. W. Bian and H.-J. Werner, *A potential energy surface for the $Cl + H_2 \rightarrow HCl + H$ reaction*, J. Chem. Phys. **112**, 220 (2000).
169. M. H. Alexander, X. Yang, P. J. Dagdigian, A. Berning, and H.-J. Werner, *Potential energy surfaces for the $CN(X^2\Sigma^+, A^2\Pi)$ Ar system and inelastic scattering within the A state*, J. Chem. Phys. **112**, 781 (2000).
170. P. Celani and H.-J. Werner, *Multireference perturbation theory for large restricted and selected active space reference wave functions*, J. Chem. Phys. **112**, 5546 (2000).
171. J. Gauss and H.-J. Werner, *NMR chemical shift calculations within local correlation methods: The GIAO-LMP2 approach*, Phys. Chem. Chem. Phys. **2**, 2083 (2000).
172. M. Schütz and H.-J. Werner, *Local perturbative triples correction (T) with linear cost scaling*, Chem. Phys. Lett. **318**, 370 (2000).
173. G. Chambaud, H. Gritli, P. Rosmus, H.-J. Werner, and P. J. Knowles, *The ion-molecule reaction $O^+(^4S) + N_2(X^1\Sigma^+) \rightarrow NO^+(X^1\Sigma^+, v') + N(^4S)$ and the predissociation of the $A^2\Sigma^+$ and $B^2\Pi$ states of N_2O^+* , Mol. Phys. **98**, 1793 (2000).
174. A. Nicklass, K. A. Peterson, A. Berning, H.-J. Werner, and P. J. Knowles, *Convergence of Breit-Pauli spin-orbit matrix elements with basis set size and configuration interaction space. The halogen atoms F, Cl, and Br*, J. Chem. Phys. **112**, 5624 (2000).
175. N. Balucani, L. Cartechini, P. Casavecchia, G. G. Volpi, F. J. Aoiz, L. Bañares, M. Menendez, W. Bian, and H.-J. Werner, *Dynamics of the $Cl + D_2$ reaction: A comparison of crossed molecular beam experiments with*

- quasiclassical trajectory calculations on a new ab initio potential energy surface*, Chem. Phys. Lett. **328**, 500 (2000).
176. A. Berning, M. Schweizer, H.-J. Werner, P. J. Knowles, and P. Palmieri, *Spin-orbit matrix elements for internally contracted multireference configuration interaction wave functions*, Mol. Phys. **98**, 1823 (2000).
 177. G. Hetzer, M. Schütz, H. Stoll, and H.-J. Werner, *Low-order scaling local electron correlation methods II: Splitting the Coulomb operator in linear scaling local MP2*, J. Chem. Phys. **113**, 9443 (2000).
 178. M. H. Alexander, D. E. Manolopoulos, and H.-J. Werner, *An investigation of the $F + H_2$ reaction based on a full ab initio description of the open-shell character of the $F(^2P)$ atom*, J. Chem. Phys. **113**, 11084 (2000).
 179. M. Schütz and H.-J. Werner, *Low-order scaling local electron correlation methods. IV. Linear scaling local coupled-cluster (LCCSD)*, J. Chem. Phys. **114**, 661 (2001).
 180. J. A. Klos, G. Chalasinski, M. M. Szczesniak, and H.-J. Werner, *Ab initio calculations of adiabatic and diabatic potential energy surfaces of $Cl(^2P)$ - $HCl(^1\Sigma^+)$ van der Waals complex*, J. Chem. Phys. **115**, 3085 (2001).
 181. D. Skouteris, B. Hartke, and H.-J. Werner, *Calculation of the Raman spectrum of photodissociating H_2S around 195 nm*, J. Phys. Chem. **A** **105**, 2458 (2001).
 182. D. Skouteris, H.-J. Werner, F. J. Aoiz, L. Bañares, J. F. Castillo, M. Menéndez, N. Balucani, L. Cartechini, and P. Casavecchia, *Experimental and theoretical differential cross sections for the reactions $Cl + H_2/D_2$* , J. Chem. Phys. **114**, 10662 (2001).
 183. F. J. Aoiz, L. Bañares, J. F. Castillo, M. Menéndez, D. Skouteris, and H.-J. Werner, *A quantum mechanical and quasi-classical trajectory study of the $Cl + H_2$ reaction and its isotopic variants. Dependence of the integral cross sections on the collision energy and reagent rotation*, J. Chem. Phys. **115**, 2074 (2001).
 184. G. Rauhut and H.-J. Werner, *Analytical energy gradients for local coupled-cluster methods*, Phys. Chem. Chem. Phys. **3**, 4853 (2001).
 185. S. Kalvoda, B. Paulus, M. Dolg, H. Stoll, and H.-J. Werner, *Electron correlation effects on structural and cohesive properties of closo-hydroborate dianions $(B_nH_n)^{2-}$ ($n = 5 - 12$) and B_4H_4* , Phys. Chem. Chem. Phys. **3**, 514 (2001).
 186. L. Magnko, M. Schweizer, G. Rauhut, M. Schütz, H. Stoll, and H.-J. Werner, *A comparison of the metallophilic attraction in $(X-M-PH_3)_2$ ($M=Cu, Ag, Au; X=H, Cl$)*, Phys. Chem. Chem. Phys. **4**, 1006 (2002).

187. M. H. Alexander, G. Capecchi, and H.-J. Werner, *Theoretical study of the validity of the Born-Oppenheimer approximation in the Cl + H₂ reaction*, Science **296**, 715 (2002).
188. R. Pollet, F. Collona, T. Leininger, H. Stoll, H.-J. Werner, and A. Savin, *Exchange-correlation energies and correlation holes for some two- and four-electron atoms along a nonlinear adiabatic connection in density functional theory*, Int. J. Quantum Chem. **91**, 84 (2003).
189. T. Korona and H.-J. Werner, *Local treatment of electron excitations in the EOM-CCSD method*, J. Chem. Phys. **118**, 3006 (2003).
190. M. Diehr, G. Chambaud, and H.-J. Werner, *Theoretical study of the dissociation and isomerization of NCS*, Z. Phys. Chem. **217**, 255 (2003).
191. G. Rauhut and H.-J. Werner *The vibrational spectra of furoxan and dichlorofuroxan: A comparative theoretical study using density functional theory and local electron correlation methods*, Phys. Chem. Chem. Phys. **5**, 2001 (2003).
192. H.-J. Werner, F. R. Manby, and P. J. Knowles, *Fast linear scaling second-order Møller-Plesset perturbation theory (MP2) using local and density fitting approximations*, J. Chem. Phys. **118**, 8149 (2003).
193. N. Balucani, D. Skouteris, L. Cartechini, G. Capozza, E. Segoloni, P. Casavecchia, M. H. Alexander, G. Capecchi, and H.-J. Werner, *Differential cross sections from quantum calculations on coupled ab initio potential energy surfaces and scattering experiments for the reaction Cl (²P) + H₂*, Phys. Rev. Lett. **91**, 13201 (2003).
194. P. Celani and H.-J. Werner, *Analytical energy gradients for internally contracted second-order multi-reference perturbation theory (CASPT2)*, in *High Accuracy Potentials for Quantum Dynamics*, edited by A. Miani, J. Tennyson, and T. van Mourik, CCP6, Daresbury, UK (2003).
195. P. Celani and H.-J. Werner, *Analytical energy gradients for internally contracted second-order multi-reference perturbation theory (CASPT2)*, J. Chem. Phys. **119**, 5044 (2003).
196. C. Ko, B. Levine, A. Toniolo, L. Manohar, S. Olsen, H.-J. Werner, and T. J. Martínez, *Ab initio excited-state dynamics of the photoactive yellow protein chromophore*, J. Am. Chem. Soc. **125**, 12710 (2003).
197. M. P. Deskevich, D. J. Nesbitt, and H.-J. Werner, *Dynamically weighted multiconfiguration self-consistent field: Multistate calculations for F + H₂O → HF + OH reaction paths*, J. Chem. Phys. **120**, 7281 (2004).
198. T. Korona, K. Pflüger, and H.-J. Werner, *The effect of local approximations in coupled-cluster wave functions on dipole moments and static dipole polarisabilities*, Phys. Chem. Chem. Phys. **6**, 2059 (2004).

199. M. Schütz, H.-J. Werner, R. Lindh, and F. R. Manby, *Analytical energy gradients for local second-order Møller-Plesset perturbation theory using density fitting approximations*, J. Chem. Phys. **121**, 737 (2004).
200. M. H. Alexander, G. Capecchi, and H.-J. Werner, *Details and consequences of the non-adiabatic coupling in the $Cl(^2P) + H_2$ reaction*, Faraday Discuss. **127**, 59 (2004).
201. D. Skouteris, A. Laganà, G. Capecchi, and H.-J. Werner, *Wave packet calculations for the $Cl + H_2$ reaction*, Int. J. Quant. Chem. **96**, 562 (2004).
202. D. Skouteris, A. Laganà, G. Capecchi, and H.-J. Werner, *Rotational and alignment effects in a wave packet calculation for the $Cl + H_2$ reaction*, Int. J. Quant. Chem. **99**, 577 (2004).
203. G. Capecchi and H.-J. Werner, *Ab initio calculations of coupled potential energy surfaces for the $Cl(^2P_{3/2}, ^2P_{1/2}) + H_2$ reaction*, Phys. Chem. Chem. Phys. **6**, 4975 (2004).
204. S. Skouteris, A. Laganà, G. Capecchi, and H.-J. Werner, *Rotational and alignment effects in a multisurface wave packet calculation for the $Cl + H_2$ reaction*, Phys. Chem. Chem. Phys. **6**, 5000 (2004).
205. N. Balucani, D. Skouteris, G. Capozza, E. Segoloni, P. Casavecchia, M. H. Alexander, G. Capecchi, and H.-J. Werner, *The dynamics of the prototype abstraction reaction $Cl(^2P_{3/2,1/2}) + H_2$: A comparison of crossed molecular beam experiments with exact quantum scattering calculations on coupled potential energy surfaces*, Phys. Chem. Chem. Phys. **6**, 5007 (2004).
206. U. Manthe, G. Capecchi, and H.-J. Werner, *The effect of spin-orbit coupling on the thermal rate constant of the $H_2 + Cl \rightarrow H + HCl$ reaction*, Phys. Chem. Chem. Phys. **6**, 5026 (2004).
207. C. Gillery, P. Rosmus, H.-J. Werner, H. Stoll, and J. P. Maier, *A theoretical study of the electronically excited states in linear and cyclic C_6^+* , Mol. Phys. **102**, 2227 (2004).
208. R. Polly, H.-J. Werner, F. R. Manby, and P. J. Knowles, *Fast Hartree-Fock theory using local density fitting approximations*, Mol. Phys. **102**, 2311 (2004).
209. P. Celani, H. Stoll, and H.-J. Werner, *The CIPT2 method: Coupling of multi-reference configuration interaction and multi-reference perturbation theory. Application to the chromium dimer*, Mol. Phys. **102**, 2369 (2004).
210. T. Wu, H.-J. Werner, and U. Manthe, *First-principles theory for the $H + CH_4 \rightarrow H_2 + CH_3$ reaction*, Science **306**, 2227 (2004).

211. S. Riedel, P. Pyykkö, R. A. Mata, and H.-J. Werner, *Comparative calculations for the A-frame molecules $S(MPH_3)_2$ ($M=Cu, Ag, Au$) at levels up to $CCSD(T)$* , Chem. Phys. Lett. **405**, 148 (2005).
212. R. Bobbenkamp, A. Paladini, A. Russo, H. J. Loesch, M. Menéndez, E. Verdasco, F. J. Aoiz, and H.-J. Werner, *Effect of rotational energy on the reaction $Li+HF(v=0, j) \rightarrow LiF+H$: An experimental and computational study*, J. Chem. Phys. **122**, 244304 (2005).
213. E. Goll, H.-J. Werner, and H. Stoll, *A short-range gradient-corrected density functional in long-range coupled-cluster calculations for rare gas dimers*, Phys. Chem. Chem. Phys. **7**, 3917 (2005).
214. M. F. Rode and H.-J. Werner, *Ab initio study of the O_2 binding in dicopper complexes*, Theor. Chem. Acc. **114**, 309 (2005).
215. T. Hrenar, H.-J. Werner, and G. Rauhut, *Towards accurate ab initio calculations on the vibrational modes of the alkaline earth metal hydrides*, Phys. Chem. Chem. Phys. **7**, 3123 (2005).
216. T. Hrenar, G. Rauhut and H.-J. Werner, *Impact of local and density fitting approximations on harmonic vibrational frequencies*, J. Phys. Chem. **A 110**, 2060 (2006).
217. H.-J. Werner and F. R. Manby, *Explicitly correlated second-order perturbation theory using density fitting and local approximations*, J. Chem. Phys. **124**, 054114 (2006).
218. F. R. Manby, H.-J. Werner, T. B. Adler and A. J. May *Explicitly correlated local second-order perturbation theory with a frozen geminal correlation factor*, J. Chem. Phys. **124**, 094103 (2006).
219. R. Polly, H.-J. Werner, P. Dahle, and P. R. Taylor, *Application of Gaussian-type geminals in local second-order Møller-Plesset perturbation theory*, J. Chem. Phys. **124**, 234107 (2006).
220. T. Wu, H.-J. Werner, and U. Manthe, *Accurate potential energy surface and quantum reaction rate calculations for the $H + CH_4 \rightarrow H_2 + CH_3$* , J. Chem. Phys. **124**, 164307 (2006).
221. H.-J. Werner and K. Pflüger, *On the selection of domains and orbital pairs in local correlation treatments*, Ann. Reports in Comput. Chem. **2**, 53 (2006).
222. F. Claeysens, J. N. Harvey, F. R. Manby, R. A. Mata, A. J. Mulholland, K. E. Ranaghan, M. Schütz, S. Thiel, W. Thiel, and H.-J. Werner, *High accuracy computation of reaction barriers in enzymes*, Angew. Chemie **118**, 7010 (2006); international edition **45**, 6856 (2006).

223. E. Goll, H.-J. Werner, H. Stoll, T. Leininger, P. Gori-Giorgi, and A. Savin, *A short-range gradient-corrected spin density functional in combination with long-range coupled-cluster methods: Application to alkali-metal rare-gas dimers*, Chem. Phys. **329**, 276 (2006).
224. J. G. Hill, J. A. Platts, and H.-J. Werner, *Calculation of intermolecular interactions in the benzene dimer using coupled-cluster and local electron correlation methods*, Phys. Chem. Chem. Phys. **8**, 4072 (2006).
225. R. A. Mata and H.-J. Werner, *Calculation of smooth potential energy surfaces using local electron correlation methods*, J. Chem. Phys. **125**, 184110 (2006).
226. H.-J. Werner, T. B. Adler, and F. R. Manby, *General orbital invariant MP2-F12 theory*, J. Chem. Phys. **126**, 164102 (2007).
227. T. Hrenar, H.-J. Werner, and G. Rauhut, *Accurate calculation of anharmonic vibrational frequencies of medium sized molecules using local coupled-cluster methods*, J. Chem. Phys. **126**, 134108 (2007).
228. A. Mitrushchenkov and H.-J. Werner, *Calculation of transition moments between internally contracted MRCI wave functions with non-orthogonal orbitals*, Mol. Phys. **105**, 1239 (2007).
229. D. I. G. Bennet, L. Butler, and H.-J. Werner, *Comparing electronic structure predictions for the ground state dissociation of vinyloxy radicals*, J. Chem. Phys. **127**, 094309 (2007).
230. Á. Valdés, R. Prosmiti, P. Villarreal, G. Delgado-Barrio, and H.-J. Werner, *Ab initio potential energy surface and spectrum of the $B(^3\Pi)$ state HeI_2 complex*, J. Chem. Phys. **126**, 204301 (2007).
231. L. Che, Z. Ren, Xingan Wang, W. Dong, D. Dai, Xiuyan Wang, D. H. Zhang, X. Yang, L. Sheng, G. Li, H.-J. Werner, F. Lique, and M. H. Alexander, *Breakdown of the Born-Oppenheimer approximation in the $F + o-D_2 \rightarrow DF + D$ reaction*, Science **317**, 1061 (2007).
232. R. A. Mata and H.-J. Werner, *Local correlation methods with a natural localized molecular orbital basis*, Mol. Phys. **105**, 2753 (2007).
233. G. Li, H.-J. Werner, F. Lique, and M. H. Alexander, *New ab initio potential energy surfaces for the $F+H_2$ reaction*, J. Chem. Phys. **127**, 174302 (2007).
234. M. E. Harding, J. Gauss, K. Pflüger, and H.-J. Werner, *High-accuracy extrapolated ab initio thermochemistry of vinylchloride*, J. Phys. Chem. **A** **111**, 13623 (2007).
235. T. B. Adler, G. Knizia, and H.-J. Werner, *A simple and efficient CCSD(T)-F12 approximation*, J. Chem. Phys. **127**, 221106 (2007).

236. H.-J. Werner, M. Kállay, and J. Gauss, *The barrier height of the $F + H_2$ reaction revisited: Coupled-cluster singles, doubles, triples, quadruples and multireference configuration-interaction benchmark calculations*, J. Chem. Phys. **128**, 034305 (2008).
237. R. A. Mata, H.-J. Werner, S. Thiel, and W. Thiel, *Towards accurate barriers for enzymatic reactions: QM/MM case study on p -hydroxybenzoate hydroxylase*, J. Chem. Phys. **128**, 025104 (2008).
238. F. Lique, M. H. Alexander, G. Li, H.-J. Werner, S. A. Nizkorodov, W. W. Harper, and D. J. Nesbitt, *Evidence for excited spin-orbit state reaction dynamics in $F + H_2$: Theory and experiment*, J. Chem. Phys. **128**, 084313 (2008).
239. K. A. Peterson, T. B. Adler, and H.-J. Werner, *Systematically convergent basis sets for explicitly correlated wave functions. The atoms H, He, B-Ne, Al-Ar*, J. Chem. Phys. **128**, 084102 (2008).
240. R. A. Mata, H.-J. Werner, and M. Schütz, *Correlation regions within a localized molecular orbital approach*, J. Chem. Phys. **128**, 144106 (2008).
241. J. Kaminsky, R. A. Mata, H.-J. Werner, and F. Jensen, *The accuracy of local MP2 methods for conformational energies*, Mol. Phys. **106**, 1899 (2008).
242. G. Knizia and H.-J. Werner, *Explicitly correlated RMP2 for high-spin open-shell reference states*, J. Chem. Phys. **128**, 154103 (2008).
243. E. Goll, T. Leininger, F. R. Manby, A. Mitrushchenkov, H.-J. Werner, and H. Stoll, *Local and density fitting approximations within the short-range/long-range hybrid scheme: Application to large non-bonded complexes*, Phys. Chem. Chem. Phys. **10**, 3353 (2008).
244. E. Goll, H.-J. Werner, and H. Stoll, *Short-range density functionals in combination with local long-range ab initio methods: Application to non-bonded complexes*, Chem. Phys. **346**, 257 (2008).
245. Xingan Wang, W. Dong, C. Xiao, L. Che, Z. Ren, D. Dai, Xiuyan Wang, P. Casavecchia, X. Yang, B. Jiang, D. Xie, Z. Sun, S.-Y. Lee, D. H. Zhang, H.-J. Werner, and M. H. Alexander, *The extent of non-Born-Oppenheimer coupling in the reaction of $Cl(^2P)$ with $para$ - H_2* , Science **24**, 573 (2008).
246. R. O. Marchetti and H.-J. Werner, *Accurate calculation of intermolecular interaction energies using explicitly correlated wave functions*, Phys. Chem. Chem. Phys. **10**, 3400 (2008).
247. H.-J. Werner, *Eliminating the domain error in local explicitly correlated second-order Møller-Plesset perturbation theory*, J. Chem. Phys. **129**, 101103 (2008).

248. G. Knizia, T. B. Adler, and H.-J. Werner, *Simplified CCSD(T)-F12 methods: Theory and benchmarks*, J. Chem. Phys. **130**, 054104 (2009).
249. G. Rauhut, G. Knizia, and H.-J. Werner, *Accurate calculation of anharmonic vibrational frequencies using explicitly correlated coupled-cluster theory*, J. Chem. Phys. **130**, 054105 (2009).
250. T. B. Adler, F. R. Manby, and H.-J. Werner, *Local explicitly correlated second-order perturbation theory for the accurate treatment of large molecules*, J. Chem. Phys. **130**, 054106 (2009).
251. P. Botschwina, R. Oswald, G. Knizia, and H.-J. Werner, *High-level ab initio calculations for astrochemically relevant polyynes ($HC_{2n}H$), their isomers ($C_{2n}H_2$) and their anions ($C_{2n}H^-$)*, Z. Phys. Chem., in press (2009).